




# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT) (51) International Patent Classification 6: WO 97/13229 (11) International Publication Number: A1 G07G 1/12 (43) International Publication Date: , 10 April 1997 (10.04.97) (21) International Application Number: PCT/US96/16016 (81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, (22) International Filing Date: 4 October 1996 (04.10.96) MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (30) Priority Data: 6 October 1995 (06.10.95) GB 9520463.2 (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, (71) Applicant: SENSORMATIC ELECTRONICS CORPORA-GA, GN, ML, MR, NE, SN, TD, TG). TION [US/US]; 951 Yamato Road, Boca Raton, FL 33431-0700 (US). **Published** (72) Inventor: GREEN, Graham, Martyn; 18 Stonehill Close, With international search report. Hillside Park, Appleton, Warrington, Cheshire WA4 SQD (74) Agent: TORRENTE, John, J.; Robin, Blecker, Daley & Driscoll, 330 Madison Avenue, New York, NY 10017-5001 (54) Title: COLOR-CATEGORIZED POS STATION CLERK PERFORMANCE EVALUATION SYSTEMS AND METHODS (57) Abstract A method for use in evaluating performance of CATEGORIZE POS CLERKS INTO GROUPS IN ·S1 participating POS station clerks (16-22) comprises the ACCORDANCE WITH CATEGORIZING CRITERIA steps of categorizing the POS station clerks into groups in accordance with various categorizing criteria, selecting visible display characteristics (50) specitic to each of the categories, providing a display of all participat-SELECT VISIBLE DISPLAY CHARACTERISTICS SPECIFIC TO EACH OF THE CATEGORIES ing POS station clerks (52) per their different identities, conforming the display (30) to evidence the selected visible display characteristics, storing transaction information from all participating POS station clerks with clerk identities, and displaying transaction information DISPLAY PARTICIPATING POS CLERKS PER RESPECTIVE DIFFERENT IDENTIFYING INDICIA through user interaction with the conformed display. **S3** 



## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GB	Georgia	MX	Mexico
AU	Australia	GN	Guines	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands .
BE	Belgium	HU	Hongary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
EJ.	Benin	JP	Japan	PT	Portugal)
BR	Brazil	ICE.	Kenya	RO	Romania
BY	Belanus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	ICP	Democratic People's Republic	SD	Sodan
GF	Central African Republic		of Korea	SE	Sweden
Œ	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
a.	Côte d'Ivoire	и	Liechtenstein	· SK	Slovakia
CM	Cameroon	LX	Sri Lanka	SN	Scoegal
CN	China	LR	Liberia	<b>SZ</b> .	Swaziland
ČS.	Czechoslovakia	LT	Lithumia	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LY	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EB	Estocia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
Pī	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Marritania	VN	Viet Nam
-	-				

### COLOR-CATEGORIZED POS STATION CLERK PERFORMANCE EVALUATION SYSTEMS AND METHODS

#### Field of the Invention

This invention relates generally to so-called "POS" 5 (Point of Sale) systems, such as are found in retail and pertains more particularly to facilities, performance evaluation systems and methods for use in connection with POS stations.

#### Background of the Invention

10

It is customary in current day retailing practices, to " have checkout counters at the exit of a facility, each equipped with a clerk-controlled POS station effecting checkout of articles through bar code scanning, retrieval of article price from a storage unit containing article price 15 cross-correlated with article bar code, display of each article checkout to a customer, selected article price totalization and providing the customer with a printout of the customer's transaction in purchasing articles.

Transaction information is typically transmitted from 20 each POS station to a parent level computer for storing the same for inventory and clerk critique purposes. The critique parameters, implemented by a supervisory person assigned to this purpose at the parent level computer, include such concerns as the facility may have for efficiency of the 25 clerk, attributable to low transactional volume with time, clerk fraud, etc.

Presently-known clerk evaluation practices at the parent level computer for purposes of clerk evaluation are seen as quite labor-intensive for the evaluator, typically involving 30 examining printouts of evaluation level stored data per individual participating POS station.

#### Summary of the Invention

The present invention has as its primary object the provision of enhanced systems and methods for clerk 35 evaluation in plural station POS arrangements.

A more particular object of the invention is to afford an evaluator at the host computer more efficiency by permitting levels of categorization and concurrency in POS

station clerk evaluation.

30

In attaining the foregoing and other objects, the invention provides a method for use in evaluating performance of participating POS station clerks comprising the steps of 5 categorizing the POS station clerks into groups in accordance with various categorizing criteria, selecting visible display characteristics specific to each of the categories, providing a display of all participating POS station clerks per their different identities, conforming the display to evidence the 10 selected visible display characteristics, storing transaction information from all participating POS stations with clerk identities, and displaying transaction information through user interaction with the conformed display.

In one particular practice of the method, the clerk 15 identities may comprise their respective names and the first, unconformed display is on a screen of a tabular presentation of the clerks' names at the evaluation level. The display includes also a display of a plurality of colors, assignable to the clerks' names by selecting colors and causing the 20 clerks' names to be displayed against the color as a background for the names. One categorization practice might be to categorize clerks on the basis of their years of experience, in which case, the display conforming step would, e.g., assign the color red to clerks with ten or more years 25 of experience, the color gray to those with five or more years of experience, the color blue to those with less than one year of experience, etc. The display conforming step would so assign the colors, evidently to more than one clerk as the categorization requires.

The color assignments would be cross-correlated with the clerks' identification in a digital storage lookup table, as would the respective clerks' performance information. The evaluator then interacts with the conformed display on a color base, i.e., to inspect performance of ten year 35 employees, the evaluator simply selects red display areas from the conformed display.

Another base for categorization would be clerk fraud. Here, the respective gradations of propensity to fraud per

clerks may be likewise color-coordinated in the conformed display. To inspect the performance of a group of clerks having high fraud propensity would call for the evaluator to interact with the conformed display in respect only of the color assigned to the high clerk fraud propensity grouping.

As will be appreciated, the POS station clerk evaluation so described is but an example of the color-coordinated information retrieval practice of the invention.

Systems implementing the foregoing methods are set forth 10 hereinafter.

The foregoing and other objects and features of the invention will be further understood from the following detailed description thereof and from the drawings, wherein like components are identified by common reference numerals throughout.

#### Description of the Drawings

35

Fig. 1 is a functional block diagram of a system in accordance with the invention.

Fig. 2 is a flowchart of a method implemented by the 20 Fig. 1 system in accordance with the invention.

Fig. 3 is a showing of a video screen presentation in accordance with the invention.

#### Detailed Description of Preferred Practices and Embodiments

Referring to Fig. 1, system 10 includes a POS level 12,
25 having a plurality of POS stations, shown as POS STA1, POS
STA2, POS STA3 and POS STAN. The output data of the POS
stations, inclusive of transaction data and clerk
identification, is furnished to parent computer level 14 over
lines 16, 18, 20 and 22, which are bidirectional lines,
30 affording selective interrogation by parent computer level 14
of POS level 12.

Parent computer level 14 includes CLERK ID AND DATA MEMORY 24, CPU 26, display unit 28, DISPLAY CONFORMER 30 and DISPLAY DRIVER 32.

Memory 24 is selectively read by CPU 26 by control CPU input furnished on lines 34 and furnishes clerk identification (ID) data to CPU 26 over lines 36 and POS transaction data to CPU 26 over lines 38.

CPU 26 controls display conformer 30 by input thereto on lines 40 and controls display driver 32 by input thereto on Display conformer 30 provides input to display driver 32 over lines 44 and display driver 32 provides input 5 to display unit 28 over lines 46.

CPU 26 provides input to and receives input from display Display unit 28 has an upper, unit 28 over lines 48. horizontal display section 50, which is shown as including individual display parts A, B, C, D, E, F and G, and has a 10 lower, vertical display section 52, which is shown as including individual display parts CLERK 1, CLERK 2, CLERK 3 and CLERK N.

In operation of system 10, CPU 26 undertakes outset set up activity in presenting diverse colors in display parts A-G 15 of display section 50 and maintains such display throughout In this respect, the CPU accordingly system activity. provides video and color signals to display driver 32 which accordingly controls display section 50 by continuously furnished over lines 46.

20

30

In system usage, CPU 26 directs the POS stations to transmit clerk identification and transaction information to memory 24 and the memory stores the transaction information cross-correlated with the clerk identification information. CPU 26 first reads the identification information from the 25 memory and presents the same in display section 52, again by signals furnished from display driver 32 over lines 46. While but four participating POS stations are shown, the system looks to scrolling as desired for showing additional POS stations.

Operator or user interaction with display sections 50 and 52 involves use of an icon, e.g., a displayed paintbrush, which is movable by arrow keys or a mouse, into selected registry with any of colors A-G, whereupon an ENTER or double-mouse-click informs CPU 26 of user color choice. 35 Assuming the choice to be the color corresponding to color C, the CPU takes the color C to be the immediately operative color for display conformance and so advises display conformer by input over lines 40. The CPU thereupon awaits

clerk assignment by the user to the selected color. The user now moves the icon into registry with one or more of the displayed clerks, as desired, which are to be categorized with the color C. Assuming the user to so designate CLERK 1 5 AND CLERK 3, the CPU is so informed, again by moving the icon into registry with these display areas and an ENTER or double-mouse-click informs CPU 26 of user of the user designations. CPU 26 accordingly further advises display conformer 30 of the display locations of display section 52 which are involved and the display conformer accordingly directs display driver 32 to "paint" CLERK 1 and CLERK 3 with the color C. Other color assignments are likewise made for the remaining participating POS stations.

any given area of display section 52 and, e.g., single-mouse-clicking on the given area, to provide a display, in substitution for that of Fig. 1, of all POS transactional information relating to participating clerks having color assignments common with that of the given area.

Alternatively, the Fig. 1 display may remain in place and a suitable printout may be made of such transactional information and clerk identities for the color category.

The method implemented in the Fig. 1 system, as above discussed, will be seen to involve the steps set forth in Pig. 2. Referring thereto, step S1, CATEGORIZE POS CLERKS INTO GROUPS IN ACCORDANCE WITH CATEGORIZING CRITERIA, and step S2, SELECT VISIBLE DISPLAY CHARACTERISTICS SPECIFIC TO EACH OF THE CATEGORIES, are implemented by the user performing color selection and identifying groupings of participating POS clerks in respective different categories.

In step S3, which is practiced prior to steps S1 and S2, DISPLAY PARTICIPATING POS CLERKS PER RESPECTIVE DIFFERENT IDENTIFYING INDICIA, the CPU provides the outset and continuous display of clerk participants with respective identifications.

In step S4, CONFORM DISPLAY TO EVIDENCE SELECTED VISIBLE DISPLAY CHARACTERISTICS, the CPU operates display conformer 30, as above described, providing it with color and area

definitions.

Step S5, STORE TRANSACTION INFORMATION FROM PARTICIPATING POS CLERKS CROSS-CORRELATED WITH IDENTIFYING INDICIA, is likewise practiced as an outset step, prior to 5 steps S1, S2 and S4.

In step S6, DISPLAY POS TRANSACTION INFORMATION THROUGH USER INTERACTION WITH CONFORMED DISPLAY, the CPU effects the above-noted display (or printing) in accordance with user single-mouse-clicking on any given display area with 10 resulting display or printing of transaction information specific to POS clerks in the selected color category.

Fig. 3 shows a video screen presentation of the invention wherein the clerks are identified by operator name, operator number and assigned color. In a preferred graphics arrangement, the invention contemplates that the available colors be depicted as paint cans above the Fig. 3 display, and that the icon, during color selection and clerk categorization, is a paintbrush (not shown) and that the selected paint can will tip toward the user and spill an amount of the color thereof onto the paint brush, and that the paint-filled brush will then be moved into registry with the displayed clerks to paint them as desired.

Various changes to the particularly disclosed apparatus, systems and practices may evidently be introduced without departing from the invention. For example, diverse shadings in display presentation may evidently be used in lieu of different colors. Accordingly, it is to be appreciated that the particularly discussed and depicted preferred embodiments and practices of the invention are intended ln an illustrative and not in a limiting sense. The true spirit and scope of the invention are set forth in the ensuing claims.

#### WHAT IS CLAIMED IS:


 A method for use in evaluating performance of participating POS station clerks comprising the steps of:

- (a) categorizing the POS station clerks into groups in accordance with various categorizing criteria;
  - (b) selecting visible display characteristics specific to each of the categories;
- (c) providing a display of all participating POS station clerks per respective different identifying indicia 10 thereof;
  - (d) conforming the display to evidence the selected visible display characteristics;
- (e) storing transaction information from all participating POS stations cross-correlated with the
   different clerk identifying indicia thereof; and
  - (f) displaying POS transaction information through user interaction with the conformed display.
- The method claimed in claim 1, wherein said visible display characteristics are selected to be respective
   different colors.
  - 3. The method claimed in claim 1, wherein said visible display characteristics are selected to be respective different shadings.
- 4. The method claimed in claim 1, wherein said step of providing a display of all participating POS station clerks per respective different identifying indicia thereof is practiced by displaying the names of clerks.
- The method claimed in claim 4, wherein said step of categorizing the POS station clerks into groups in accordance
   with various categorizing criteria is practiced by providing categories indicative of respective different years of experience of the clerks.
- 6. The method claimed in claim 4, wherein said step of categorizing the POS station clerks into groups in accordance with various categorizing criteria is practiced by providing categories indicative of respective propensities toward fraudulent conduct of the clerks.
  - The method claimed in claim 1, wherein said step of

selecting visible display characteristics specific to each of the categories is practiced by displaying the characteristics in common on a screen and selecting display characteristics from the screen.

- 5 8. The method claimed in claim 1, wherein said step of providing a display of all participating POS station clerks per respective different identifying indicia thereof is practiced by displaying the names of clerks in a first portion of a screen and wherein said step of selecting visible display characteristics specific to each of the categories is practiced in part by displaying the characteristics in common on a second portion of the screen differently located from the first screen portion.
- 9. The method claimed in claim 8, wherein said step of 15 selecting visible display characteristics specific to each of the categories is practiced in further part by selecting display characteristics from the screen.
- 10. The method claimed in claim 8, wherein said first screen portion is a generally central screen portion and wherein said second screen portion is a marginal area of said screen.
- 11. The method claimed in claim 9, wherein said first screen portion is a generally central screen portion and wherein said second screen portion is a marginal area of said screen.
- 12. The method claimed in claim 7, wherein said step of selecting display characteristics from the screen is practiced by providing a movable icon on the screen and moving said icon into registry with said display 30 characteristics.
  - 13. The method claimed in claim 12, wherein said step of conforming the display to evidence the selected visible display characteristics is practiced by moving said icon into registry with the displayed participating POS station clerks.
  - 14. The method claimed in claim 12, wherein display of said display characteristics is effected by presentation of images of paint cans and visually presenting respectively different colors on said displayed paint cans.

35



F/G. /

SUBSTITUTE SHEET (RULE 26)




FIG. 2

SUBSTITUTE SHEET (RULE 26)

Operator Number	Colour
1065	Orange
3352	Blue
3557	Gray
7003	4: Yellow
2748	Gray
0601	Gray

F/G. 3

#### INTERNATIONAL SEARCH REPORT

International application No. PCT/US96/16016

		<del></del>			
	SSIPICATION OF SUBJECT MATTER				
IPC(6)	:G07G 1/12 : 364/401, 402, 405; 395/600				
According	to International Patent Classification (IPC) or to both	national charification and IDC			
	LDS SEARCHED				
Minimum	ocumentation searched (classification system followed	he charification annhals)			
U.S. :	364/401, 402, 405; 395/600; 235/383	oy comments symbols;			
0.5. : 360/401, 402, 405; 395/600; 235/383					
Documenta	tion searched other than minimum documentation to the	extent that such documents are included	l in the folds associated		
			om one fresh scriftish		
~		<u> </u>			
Electronic data base consulted during the intermational search (name of data base and, where practicable, search terms used)					
		•			
C. DOC	UMENTS CONSIDERED TO BE RELEVANT	<u> </u>			
Category®	Citation of document, with indication, where app	ropriate, of the relevant passages	Relevant to claim No.		
Y,P	US, A, 5,510,979 (MODERI et al.	23 April 1996 col 1	1, 4, 7, 10, 13		
	lines 54-59, col. 2, lines 22-26, col	3., lines 48-67.	1, 4, 7, 10, 13		
Y,E	US, A, 5,256,863 (FERGUSON et al	l.) 26 October 1996, col.	6		
- 1	2, lines 28-35				
Y.P	110 4 5 454 404 4555				
۲,۳	US, A, 5,454,104 (STEIDLMAYER	R et al.) 26 September	3-4		
	1996, col. 4, lines 59-67.				
,					
ł	•				
l		·			
ŀ					
I					
		j	·		
		j			
Furthe	r documents are listed in the continuation of Box C.	See patent family annex.			
	ial categories of cited documents				
A" daça	ment defining the general state of the art which is not considered	heer document published after the inter date and not in conflict with the applicat	irm had chied to make the day		
	of particular relevances or document jublished on or after the international filing date	handar or much much all me med			
.* dom	ment which man there deader on minute, at the day of the first	document of particular relavance; the considered nevel or council to considere when the document is taken alone	chimat investos casact be d to invebro sa investivo step		
	to establish the publication date of eacther citation or other al reason (as specified)	•	<b></b>		
•	ment referring to an eval discharge, une, exhibition or other	document of particular relovance; the considered to involve an inventive a considered with one or more other such	the same on promises in		
			est		
	must published prior to the international filing data but later than the foreign data chained	decument member of the same putent S			
ere of the s	tual completion of the international search Di	ate of mailing of the international sear	ch report		
24 NOVEM	BER 1996	7. DEC 1998	-		
ame and m	iling address of the ISA AIR	1330			
Commissions	iling address of the ISA/US r of Peterss and Trademarks	Authorized office			
Boz PCT Washington,	D.C. 20231	Cail Hayes			
Pacsimile No. (703) 305-3230 Telephone No. (703) 305-9711					
m PCT/IS/	/210 (second sheet)(July 1992)*				

# This Page is inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

ार्च वि	BLACK BORDERS
	DETER BORDERS
Ø	IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
a	FADED TEXT OR DRAWING
O	BLURED OR ILLEGIBLE TEXT OR DRAWING
0	SKEWED/SLANTED IMAGES
<u></u>	COLORED OR BLACK AND WHITE PHOTOGRAPHS
0	GRAY SCALE DOCUMENTS
8	LINES OR MARKS ON ORIGINAL DOCUMENT
<b>a</b>	REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
O	OTHER:

IMAGES ARE BEST AVAILABLE COPY. As rescanning documents will not correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox